OVE Austrian Electrotechnical Association
Eschenbachgasse 9 | 1010 Wien | Austria
ZVR: 327279890 | www.ove.at

OVE Certification
Kahlenberger Str. 2A | 1190 Wien | Austria
T +43 1 370 58 06 | certification@ove.at

Validity of ÖVE-Certificates can be checked at www.ove.at

ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark

Certificate No.: **43-216-09**

Valid from: 2026 02 18
until: 2028 02 18

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Certificate holder: **PC Electric Ges.m.b.H.**
Diesseits 145
4973 St. Martin im Innkreis
Austria

Product: **Plug for industrial purposes**

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the certificate holder holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s).: **TGM-VA EE 39162**

Österreichischer Verband für Elektrotechnik
Head of OVE Certification

Digitally signed by T. Neumayer
Email=t.neumayer@ove.at

Wien, 2026 01 26

Dipl.-Ing. T. Neumayer

Manufacturer:

PC Electric Ges.m.b.H.
Diesseits 145
4973 St. Martin im Innkreis
Austria

Factory location(s):

PC Electric Ges.m.b.H.
Diesseits 145
4973 St. Martin im Innkreis
Austria

Tested and certified according to:

ÖVE/ÖNORM EN 60309-1:2013-03-01
ÖVE/ÖNORM EN 60309-2:2013-03-01
OVE EN IEC 60309-1:2023-07-01
OVE EN IEC 60309-2:2023-07-01
IEC 60309-1:2021
IEC 60309-2:2021

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the **EU Low-Voltage Directive 2014/35/EU**. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

Product: Plug for industrial purposes

Type designation: *Rating:*	***Trademark:***
013 Rated supply current: 16 A 2P+E IP44 or IP44/IP54 plug screw terminals	PCE / ELCEE / SIROX / METECEE
8013 Rated supply current: 16 A 2P+E IP44 or IP44/IP54 angled plug screw terminals	PCE / ELCEE / SIROX / METECEE

014 Rated supply current: 16 A 3P+E IP44 or IP44/IP54 plug screw terminals	PCE / ELCEE / SIROX / METECEE
7014 Rated supply current: 16 A 3P+E IP44 or IP44/IP54 phase inverter straight screw terminals	PCE / ELCEE / SIROX / METECEE
7414 Rated supply current: 16 A 3P+E IP44 or IP44/IP54 phase inverter angled screw terminals	PCE / ELCEE / SIROX / METECEE
8014 Rated supply current: 16 A 3P+E IP44 or IP44/IP54 angled plug screw terminals	PCE / ELCEE / SIROX / METECEE
015 Rated supply current: 16 A 3P+N+E IP44 or IP44/IP54 plug screw terminals	PCE / ELCEE / SIROX / METECEE
7015 Rated supply current: 16 A 3P+N+E IP44 or IP44/IP54 Phase inverter straight screw terminals	PCE / ELCEE / SIROX / METECEE
7415 Rated supply current: 16 A 3P+N+E IP44 oder IP44/IP54 phase inverter angled screw terminals	PCE / ELCEE / SIROX / METECEE

8015
Rated supply current: 16 A
3P+N+E
IP44 or IP44/IP54
angled plug
screw terminals

PCE / ELCEE / SIROX / METECEE

0132
Rated supply current: 16 A
2P+E
IP67 or IP66/IP67
plug
screw terminals

PCE / ELCEE / SIROX / METECEE

80132
Rated supply current: 16 A
2P+E
IP67 or IP66/IP67
angled plug
screw terminals

PCE / ELCEE / SIROX / METECEE

0142
Rated supply current: 16 A
2P+E
IP67 or IP66/IP67
plug
screw terminals

PCE / ELCEE / SIROX / METECEE

70142
Rated supply current: 16 A
2P+E
IP67 or IP66/IP67
phase inverter straight
screw terminals

PCE / ELCEE / SIROX / METECEE

74142
Rated supply current: 16 A
2P+E
IP67 or IP66/IP67
phase inverter angled
screw terminals

PCE / ELCEE / SIROX / METECEE

80142
Rated supply current: 16 A
3P+N+E
IP67 or IP66/IP67
angled plug
screw terminals

PCE / ELCEE / SIROX / METECEE

0152 Rated supply current: 16 A 3P+N+E IP67 or IP66/IP67 plug screw terminals	PCE / ELCEE / SIROX / METECEE
70152 Rated supply current: 16 A 3P+N+E IP67 or IP66/IP67 phase inverter straight screw terminals	PCE / ELCEE / SIROX / METECEE
74152 Rated supply current: 16 A 3P+N+E IP67 or IP66/IP67 phase inverter angled screw terminals	PCE / ELCEE / SIROX / METECEE
80152 Rated supply current: 16 A 3P+N+E IP67 or IP66/IP67 angled plug screw terminals	PCE / ELCEE / SIROX / METECEE
013TT Rated supply current: 16 A 2P+E IP44 or IP44/IP54 plug screwless terminals	PCE / ELCEE / SIROX / METECEE
8013TT Rated supply current: 16 A 2P+E IP44 or IP44/IP54 angled plug screwless terminals	PCE / ELCEE / SIROX / METECEE
014TT Rated supply current: 16 A 3P+E IP44 or IP44/IP54 plug screwless terminals	PCE / ELCEE / SIROX / METECEE

8014TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
3P+E
IP44 or IP44/IP54
angled plug
screwless terminals

015TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
3P+N+E
IP44 or IP44/IP54
plug
screwless terminals

7015TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
3P+N+E
IP44 or IP44/IP54
phase inverter straight
screw and screwless terminals

7415TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
3P+N+E
IP44 or IP44/IP54
phase inverter angled
screw and screwless terminals

8015TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
3P+N+E
IP44 or IP44/IP54
angled plug
screwless terminals

0132TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
2P+E
IP67 or IP66/IP67
plug
screwless terminals

80132TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
2P+E
IP67 or IP66/IP67
angled plug
screwless terminals

0142TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
3P+E
IP67 or IP66/IP67
plug
screwless terminals

80142TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
3P+E
IP67 or IP66/IP67
angled plug
screwless terminals

0152TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
3P+N+E
IP67 or IP66/IP67
plug
screwless terminals

70152TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
3P+N+E
IP67 or IP66/IP67
phase inverter straight
screw and screwless terminals

74152TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
3P+N+E
IP67 or IP66/IP67
phase inverter angled
screw and screwless terminals

80152TT PCE / ELCEE / SIROX / METECEE
Rated supply current: 16 A
3P+N+E
IP67 or IP66/IP67
angled plug
screwless terminals

Typecode

0	1	3	2	-	6	x	v

contacts	
blank	standard contacts
v	nickel plated contacts

colour	
blank	indicating colour
x	special design
*	reserved for additional colours

clock position earthing contact	
1	1 h
2	2 h
3	3 h
4	4 h
5	5 h (not available for phase inverters)
6	6 h
7	7 h
8	8 h
9	9 h
10	10 h
11	11 h
12	12 h

customer type	
-	Trademark PCE

degree of protection	
blank	IP44 or IP44/IP54
2	IP67 or IP66/IP67

poles	
3	3-poles
4	4-poles
5	5-poles

rated current	
1	16A

ground type	
0	Plug
70	Phase inverter straight form
74	Phase inverter angled form
80	Angled plug

0	1	3	2	-	6	TT	x	v

contacts	
blank	standard contacts
v	nickel plated contacts

colour	
blank	indicating colour
x	special design
*	reserved for additional colours

terminals	
TT	screwless terminals

clock position earthing contact	
1	1 h
2	2 h
3	3 h
4	4 h
5	5 h (not available for phase inverters)
6	6 h
7	7 h
8	8 h
9	9 h
10	10 h
11	11 h
12	12 h

customer type	
-	Trademark PCE

degree of protection	
blank	IP44 or IP44/IP54
2	IP67 or IP66/IP67

poles	
3	3-poles
4	4-poles
5	5-poles

rated current	
1	16A

ground type	
0	Plug
70	Phase inverter straight form
74	Phase inverter angled form
80	Angled plug

Typelist

Type	Rated current A	Earthing contact pos. h	Rated operating voltage V	Frequency Hz	Insulation voltage V
013 8013 0132 80132	16	1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
		3	>50 – 250	DC	690
		4	100 – 130	50 and 60	690
		6	200 – 250	50 and 60	690
		7	480 – 500	50 and 60	690
		8	>250	DC	690
		9	380 – 415	50 and 60	690
		10	>50	>100 - 300	690
		12	Supply from an isolating transformer	50 and 60	690
014 7014*) 7414*) 8014 0142 70142*) 74142*) 80142	16	1	Other ratings	Other ratings	500*), 690
		2	>50	>300 - 500	500*), 690
		3	380 440	50 60	500*), 690
		4	100 – 130	50 and 60	500*), 690
		5	600 – 690	50 and 60	690
		6	380 – 415	50 and 60	500*), 690
		7	480 - 500	50 and 60	500*), 690
		9	200 – 250	50 and 60	500*), 690
		10	>50	>100 - 300	500*), 690
		11	440 – 460	60	500*), 690
		12	Supply from an isolating transformer	50 and 60	500*), 690
015 7015*) 7415*) 8015 0152 70152*) 74152*) 80152	16	1	Other ratings	Other ratings	500*), 690
		2	>50	>300 - 500	500*), 690
		3	220/380 250/440	50 60	500*), 690
		4	57/100 – 75/130	50 and 60	500*), 690
		5	347/600 – 400/690	50 and 60	690
		6	200/346 – 240/415	50 and 60	500*), 690
		7	277/480 – 288/500	50 and 60	500*), 690
		9	120/208 – 144/250	50 and 60	500*), 690
		10	>50	>100 - 300	500*), 690
		11	250/440 – 265/460	60	500*), 690
		12	Supply from an isolating transformer	50 and 60	500*), 690

*) 7014, 7015, 7414, 7415, 70142, 70152, 74142, 74152
with insulation voltage 500 V

Type	Rated current A	Earthing contact pos. h	Rated operating voltage V	Frequency Hz	Insulation voltage V
013TT 8013TT 0132TT 80132TT	16	1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
		3	>50 – 250	DC	690
		4	100 – 130	50 and 60	690
		6	200 – 250	50 and 60	690
		7	480 – 500	50 and 60	690
		8	>250	DC	690
		9	380 – 415	50 and 60	690
		10	>50	>100 - 300	690
		12	Supply from an isolating transformer	50 and 60	690
014TT 8014TT 0142TT 80142TT	16	1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
		3	380 440	50 60	690
		4	100 – 130	50 and 60	690
		5	600 – 690	50 and 60	690
		6	380 – 415	50 and 60	690
		7	480 - 500	50 and 60	690
		9	200 – 250	50 and 60	690
		10	>50	>100 - 300	690
		11	440 – 460	60	690
		12	Supply from an isolating transformer	50 and 60	690
015TT 7015TT*) 7415TT*) 8015TT 0152TT 70152TT*) 74152TT*) 80152TT	16	1	Other ratings	Other ratings	500*), 690
		2	>50	>300 - 500	500*), 690
		3	220/380 250/440	50 60	500*), 690
		4	57/100 – 75/130	50 and 60	500*), 690
		5	347/600 – 400/690	50 and 60	690
		6	200/346 – 240/415	50 and 60	500*), 690
		7	277/480 – 288/500	50 and 60	500*), 690
		9	120/208 – 144/250	50 and 60	500*), 690
		10	>50	>100 - 300	500*), 690
		11	250/440 – 265/460	60	500*), 690
		12	Supply from an isolating transformer	50 and 60	500*), 690

*) 7015TT, 7415TT, 70152TT, 74152TT
with insulation voltage 500 V